

# # 976 Clear Gloss 1.6 Mil Polyester Self Wound Lamination

---

<b>Item</b>	# 976 release coated clear gloss PET self wound lamination.
<b>Description</b>	1.0 mil PET clear film with 0.6 mils adhesive. Clear gloss film with medium adhesive coat weight.
<b>Applications</b>	For paper, film or vinyl labels, polyester prime labels, compliance labels and reinforcing. Heat, oil, moisture, abrasion and chemical resistant.

## Product Data

Effective 01/16/15

Film	1.0 mil clear gloss polyester	PSTC-33
Adhesive	0.6 mil water based clear emulsion acrylic	
Overall Thickness	1.6 mil +/- 5 %	PSTC-33
Peel Adhesion	16.3 ounces per inch	PSTC-1
Tensile Strength	25 pounds per inch	PSTC-31
Elongation	100% at break	PSTC-31
Application Temperatures	32° F to 150° F	
Operating Temperatures	0° F to +300° F	
Recommended Storage	Temperature 72° F Humidity 50%	
Shelf Life	Over one year at recommended storage levels	
Government Spec	Complies with FDA specs 21CFR177.1520 and 21CFR177.105 for indirect food contact	

## Ordering Information

Web Width	58.0"
Standard Length	5,000'
Custom Slitting	Available in 1/16" increments from 1/2" to 58.0" in lengths of 5,000'. Other lengths full web cut only. There is an up charge on widths less than 2".
Quick Response	Slit to order in NC, IL and CA. Orders generally ship in 24 hours. Orders placed before 12:00 PM eastern time may ship the same day.
Packaging	Packed in cartons. Larger quantity orders available in bulk pack on pallets.

IMPORTANT NOTICE TO BUYER: Replaces all prior spec sheets. All statements, information and recommendations herein are based on calculations and tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. Before using, user shall determine suitability of the product for its intended use and user assumes all risk and liability whatsoever in connection therewith. Seller neither makes, nor shall be bound by, any warranty, expressed, implied, statutory or otherwise. The seller limits its obligation to replacement or, at its option, reimbursement of the purchase price of products shown to the seller's satisfaction to have been defective at the time the seller sold it. FilmLOC® is a registered trademark.



www.FILMLOC.com p\_800.783.6258  
e\_info@filmloc.com p\_404.892.8778

